

Avery Digital Product Reference Guide

Part Number	Product	Features & Benefits	Applications				Application Features	Unprinted Durability	Film Characteristics			Adhesive	Printing Compatibility	Roll Widths	Roll Lengths
			General Signs	POP	Banner	Vehicle Graphics			Film Material	Film Thickness	Finish G/M				
MPI 1005 EZ RS	2.1 mil Cast White Gloss Premium Vinyl	Premium quality opaque film w/ Easy Apply™ Technology	☑	☑		☑	F, FR, SC, CC, COR	9	Cast White Vinyl	2 mil	Gloss	Permanent opaque slideable, removable & repositionable	Inkjet - Solvent, Eco-Solvent, UV	30, 48, 54, 60	15, 25, 50 & 100 Yard
MPI 1005 SC EZ RS	2.1 mil Cast White Gloss Premium Vinyl	Premium quality Supercast opaque film w/ Easy Apply™ Technology	☑	☑		☑	F, FR, SC, CC, COR	9	Cast White Vinyl	2 mil	Gloss	Permanent opaque slideable, removable & repositionable	Inkjet - Solvent, Eco-Solvent, UV	30, 48, 54, 60	50 Yard
MPI 1060 (MPI 1020)	2.1 mil Cast Clear Vinyl	Excellent imagability, clear vinyl, permanent pressure-sensitive adhesive	☑	☑		☑	F, FR, SC, CC, COR	7	Cast Clear Vinyl	2.1 mil	Gloss	Clear, permanent, acrylic pressure-sensitive adhesive	Inkjet - Solvent, Eco-Solvent, UV	48, 60	15, 50 & 100 Yard
MPI 1805	2.1 mil Cast White Gloss Premium Vinyl	Ideal solution for marine watercraft with Easy Apply™ Technology					F, CC Boat Wraps	9	Cast White Vinyl	2.1 mil	Gloss	Permanent Opaque, Long-term Removable, Repositionable (gray)	Inkjet - Solvent, Eco-Solvent, UV	54, 60	50 yd
MPI 2105 EZ RS NEW	3.1 mil Premium Calendered White Vinyl	Flexible, high gloss, premium calendered film with Easy Apply™ Technology		☑			F, SC	5	Premium Calendered, White Vinyl	3.1 mil	Gloss	Permanent opaque slideable, removable & repositionable	Inkjet - Solvent, Eco-Solvent, UV	54	50 yd
MPI 2105 EZ NEW	3.1 mil Premium Calendered White Vinyl	Flexible, high gloss, premium calendered film with Easy Apply™ Technology		☑			F, FR, SC	5	Premium Calendered, White Vinyl	3.1 mil	Gloss	Permanent opaque slideable, removable & repositionable	Inkjet - Solvent, Eco-Solvent, UV	54	50 Yard
MPI 2120 (MPI 2010) MPI 2122 (MPI 2012)	3.4 mil Premium Calendered White Vinyl	Flexible, matte, premium calendered film with permanent or removable adhesive performance.	☑	☑			F, SC	6	Premium Calendered, White Vinyl	3.4 mil	Matte	2120 permanent clear, 2122 removable gray - acrylic pressure-sensitive adhesive	Inkjet - Solvent, Eco-Solvent, UV	30, 48, 54, & 60	15, 50 & 100 Yard

Part Number	Product	Features & Benefits	Applications				Application Features	Unprinted Durability	Film Characteristics			Adhesive	Printing Compatibility	Roll Widths	Roll Lengths
			General Signs	POP	Banner	Vehicle Graphics			Film Material	Film Thickness	Finish G/M				
MPI 2050 <i>(MPI 2150)</i>	3.4 mil flexible, white translucent, premium calendared vinyl	Engineered specifically for backlit applications	☒	☒			F, SC	6	Premium Calendared, Translucent White Vinyl	3.4 mil	Matte	Permanent Acrylic (clear) pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	54 & 60	25 & 50 Yard
MPI 2077 <i>(MPI 2120)</i>	3.4 mil flexible, transparent vinyl	Ideal for changeable interior and exterior window graphics	☒	☒			F	1	Calendared, Clear Vinyl	3.4 mil	Matte	Ultra Removable, Acrylic (clear)	Inkjet - Solvent, Eco-Solvent, UV	54	50 & 100 Yard
MPI 2611 <i>(MPI 2601)</i>	6 mil Calendared White Vinyl	Removable film developed specifically for wall graphics. * see Avery's IB 6.50	☒	☒			F	4	Tough, scuff-resistant, flexible, white premium calendared vinyl	6 mil	Luster	Removable (1 yr), repositionable & movable clear, acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	54	25, 50 & 100 Yard
MPI 2920 <i>(MPI 3000)</i> MPI 2921 <i>(MPI 3001)</i>	3.4 mil Calendared White Vinyl	Economical Promotional Calendared Film	☒	☒			F, SC	5	Tough, scuff-resistant, promotional calendared vinyl	3.4 mil	Matte	2920 permanent, 2921 removable clear, acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	30, 54 & 60	15, 50, 100 & 250 Yard
MPI 2922 <i>(MPI 3402)</i> MPI 2923 <i>(MPI 3003)</i>	3.4 mil Opaque Cover-Up Vinyl	Economical opaque calendared film providing hiding power	☒	☒			F, SC	5	Tough, scuff-resistant, promotional calendared vinyl	3.4 mil	Matte	2922 removable, 2923 permanent, gray, acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	30, 54 & 60	50 Yard

Part Number	Product	Features & Benefits	Applications				Application Features	Unprinted Durability	Film Characteristics			Adhesive	Printing Compatibility	Roll Widths	Roll Lengths
			General Signs	POP	Banner	Vehicle Graphics			Film Material	Film Thickness	Finish G/M				
MPI 2902 (MPI 3101)	3.4 mil Calendered Gloss White Vinyl	Economical opaque glossy calendered film with removability	☒	☒			F, SC	4	White Opaque Glossy Calendered Vinyl	3.4 mil	Gloss	Removable, gray, acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	30, 54 & 60	50 Yard
MPI 2981 (MPI 3401)	3.4 mil Calendered Semi-Translucent Vinyl	Economical calendered film for backlit applications with removability	☒	☒			F, SC	3	White Semi-Translucent Calendered Vinyl	3.4 mil	Matte	Removable, clear, acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	30, 54 & 60	50 Yard
MPI 2528 (MPI 4002)	7 mil Calendered Perforated Window Film White/Black 50/50	50/50 perforation pattern provides an open area of 50% 1.5 mil hole allowing for the best possible visibility for vehicle windows	☒	☒	☒		F, SC	3	7 mil Calendered Perforated Window Film	7 mil	Low Gloss	Black permanent acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	48 & 54	25 & 100 Yard
MPI 2728 (MPI 4065)	7 mil Calendered Perforated Window Film White/Black	Perforated Window Film 65/35 1.5 mil hole is a flexible calendered film designed for stationary windows	☒	☒			F, SC	3	7 mil Calendered Perforated Window Film	7 mil	Low Gloss	Black permanent acrylic, pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	54	25 & 100 Yard
MPI 2121 (MPI Transit Vinyl)	3.4 mil Calendered, White Cover-Up Vinyl	Flexible calendered vinyl that has been specifically designed for use in the temporary transit advertising market	☒	☒	☒		F, SC	1	3.4 mil Flexible, White, Calendered Vinyl	3.4 mil	Matte	Removable, clear, acrylic pressure-sensitive	Inkjet - Solvent, Eco-Solvent, UV	30, 48, 54, 60 & 62	50, 100 & 250 Yard

Application Features: F = Flat; FR = Flat with Rivets; SC = Simple Curves; CC = Compound Curves; COR = Corrugation